

HERCULE VV750



KNITTED ACRYLIC/POLYAMID GLOVE - NITRILE FOAM COATING ON PALM, FINGERS AND HALF BACK
Ref. VV750



Product specifications

Inside: 100% acrylic gauge 7. Outside: 100% polyamide gauge 13. 3/4 foam nitrile coating on palm, fingers and half back.

Glove : polyamide / acrylic.
Coating : nitrile foam

COLOUR

Black

SIZE

09, 10

Product Use - Risks



Cold / Weather



Wearing



Agriculture / Green areas
Services / Logistics



Construction / Civil engineering



Heavy industry



Product's highlights & user's benefits

3/4 Coating:

- Full protection of the fingers against cold and water
- Long lifespan

Scratch acrylic support:

- Cold protection
- Scratching: Excellent comfort, keeps hands warm in cold conditions

Polyamide support:

- High flexibility

Very good cold protection

Certifications and Standards



PPE DIRECTIVE 89/686/EEC

EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)

EN388:2003 Protective gloves against mechanical Risks (Levels obtained on the palm)

- 3: Resistance to abrasion (from 1 to 4)
- 2: Resistance to cutting (from 1 to 5)
- 3: Resistance to tear (from 1 to 4)
- 1: Resistance to puncture (1 to 4)





EN511:2006 Protective gloves against cold (X = Unrealized test)

- X: Resistance to convective cold (from 1 to 4)
- 2: Resistance to contact cold (from 1 to 4)
- X: Waterproof (0 or 1)



References

References	Bar code	COLOUR	SIZE		
VV750NO09	3295249157586	Black	09	60	10
VV750NO10	3295249157593	Black	10	60	10