

บริษัท ทีมเซฟตี้เซลล์ จำกัด (Tel : 02-721-6923, Line : @aro1988r, Mail : teamsafetysales@gmail.com)

ขายส่งอุปกรณ์เซฟตี้ ชุดช่าง ชุดยูนิฟอร์ม อุปกรณ์จราจร อุปกรณ์ดับเพลิง ราคาสูง ถูกและดีที่สุดในไทย ด้วยประสบการณ์มากกว่า 20 ปี สามารถดูราคาและสินค้าได้ที่ www.supersafetythailand.com

ถุงมือกันแรงกระแทก
กันบาดสูงสุด กันน้ำมัน



FRANCE IMPORTED



ถุงมือกันบาด, กันแรงกระแทก จากฝรั่งเศส รุ่น VV910

รุ่น : VV910 ยี่ห้อ : Deltaplus

1. มาตรฐาน EN388, EN1621-1
2. เป็นถุงมือกันแรงกระแทกนำเข้าจากฝรั่งเศส
3. ถุงมือกันบาดระดับ 5
4. ทำจากเส้นใย HPPE กันบาดและกระชับมาก
5. เคลือบไนไตรด์ กันน้ำมัน กันสารเคมี
6. เหมาะสำหรับงานตัดเหล็ก งานน้ำมัน กันความคม
7. ด้านหลังกันกระแทก ตามมาตรฐาน ยุโรป
8. เสริมฝ่ามือ กันบาด อีกชั้น
9. Free Size

บริษัท ทีมเซฟตี้เซลล์ จำกัด (Tel : 02-721-6923, Line : @aro1988r, Mail :teamsafetysales@gmail.com)

ขายส่งอุปกรณ์เซฟตี้ ชุดช่าง ชุดยูนิฟอร์ม อุปกรณ์จราจร อุปกรณ์ดับเพลิง ราคาสูง ถูกและดีที่สุดในไทย ด้วยประสบการณ์มากกว่า 20 ปี สามารถดูราคาและสินค้าได้ที่ www.supersafetythailand.com



ครบวงจร ราคาถูกและดีที่สุดในไทย ยินดีตอบทุกคำถามเกี่ยวกับความปลอดภัย ไม่มีขั้นต่ำในการสั่ง บริการทั่วไป Line :@aro1988r

บริษัท ทีมเซฟตี้เซลล์ จำกัด (Tel : 02-721-6923, Line : @aro1988r, Mail :teamsafetysales@gmail.com)

**ขายส่งอุปกรณ์เซฟตี้ ชุดช่าง ชุดยูนิฟอร์ม อุปกรณ์จราจร อุปกรณ์ดับเพลิง ราคาสูง ถูกและดีที่สุดในไทย ด้วย
ประสบการณ์มากกว่า 20 ปี สามารถดูราคาและสินค้าได้ที่ www.supersafetythailand.com**



ครบวงจร ราคาถูกและดีที่สุดในไทย ยินดีตอบทุกคำถามเกี่ยวกับความปลอดภัย ไม่มีขั้นต่ำในการสั่ง บริการทั่วไป **Line :@aro1988r**

EOS NOCUT VV910



HIGH PERFORMANCE POLYETHYLENE KNITTED GLOVE - DOUBLE NITRILE-COATING PALM

Ref. VV910



Product specifications

High performance polyethylene support. Thermoplastic (TPR) reinforcement on back and fingertips. Smooth nitrile coating/foam nitrile on palm and fingertips. Embossed inside reinforcement on palm. Kevlar® thread on all the seams.

Support: High performance polyethylene fibre.

Coating: nitrile.

Back reinforcement: TPR.

COLOUR

Yellow-Grey-Black

SIZE

08, 09, 10, 11

Product Use - Risks



Shock



Cutting / Perforation



Wearing



Second work / craftman



Services / Logistics



Construction / Civil engineering



Heavy industry



Oil / Gas

Product's highlights & user's benefits



Wash in cold water



Double nitrile coating to work in oil environments:

- First smooth nitrile coating: Oil permeability
- Second foam nitrile coating: Good grip



Flexible reinforcements for better protection against impact and pinching.



Reinforcement between the thumb and index finger and on the palm



Protection against impact in metacarpal area.
For an energy impact of 5 J, the maximum force transmitted to the back of the hand must be less than 4 kN

Very good resistance to abrasion and cutting

Kevlar® thread for a longer durability of the glove

8 cm cuff: safety and comfort



Available only with header card



Cut level 5



Cut level D

Certifications and Standards



RÈGLEMENT (UE) 2016/425

EN420:2003+A1:2009 General requirements
5: Dexterity (from 1 to 5)

EN388:2016



4: Resistance to abrasion (from 1 to 4)
X: Resistance to cutting (from 1 to 5)
4: Resistance to tear (from 1 to 4)
3: Resistance to puncture (1 to 4)
D: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)
P: Protection against impact in metacarpal area (P) (EN13594:2002 6.8.2)



USA STANDARDS



ANSI-ISEA 105:2016 Hand Protection

A3: Resistance to cutting by sharp objects (from A1 to A9)

References

References	Bar code	COLOUR	SIZE		
VV910JA08	3295249191542	Yellow-Grey-Black	08	60	12
VV910JA09	3295249191559	Yellow-Grey-Black	09	60	12
VV910JA10	3295249191566	Yellow-Grey-Black	10	60	12
VV910JA11	3295249191573	Yellow-Grey-Black	11	60	12